

Biopython Installation

Brad Chapman (chapmanb@uga.edu)

March 18, 2005

Contents

1 Purpose and Assumptions	2
2 Installing Python	2
2.1 Installation on UNIX systems and Mac OS X	2
2.1.1 RPM and other Package Manager Installation	3
2.2 Installation on Windows	3
2.3 Installation on older Mac500(.)-499(.)-500(-33(toshe216.514493.247c54.78789.963Tf-216.514-493.24754.787F89.963T	

If there were no errors and everything worked correctly, you should now be able to type python at a command prompt and enter into the python interpreter:

```
$ python
Python 2.4 W050#1, Dec 5 2004, 20:47:03W051
[GCC 3.3.3] on cygwin
Type "help", "copyright", "credits" or "license" for more information.
>>>
```


3.2.1 UNIX and Mac OS X systems

As with mxTextTcols, you should download the tar.gz file. Version 23.8 of Numerical Python (Numeri c-23.8.tar.gz)

```
$ gunzip ReportLab_1_20.tgz  
$ tar -xvpf ReportLab_1_20.tar  
$ cd reportlab_1_20/
```


4. That's it! Biopython is installed. Wasn't that easy? Now let's check and make sure it worked properly.
Skip on ahead to section [5](#).

4.2.1 Installation on FreeBSD

I have successfully managed to use distutils to compile Biopython with Borland's free C++ compiler

- The Numeric package will take a little trickery to get it to be able to import. It will install ~~a~~Numeric directory and Numeric.pth file into your_dir/lib/python. The problem is that the Numeric.pth file